




**Fig. 1**


**Fig. 2**




**Fig. 1A**




**Fig. 1B**



**Fig. 1C**




**Fig. 3C**




**Fig. 3B**

FIG. 3A is a cross-sectional view of a container assembly 30. The assembly includes a container 11 with a side wall 12 and a bottom wall 13. A lid 14 is positioned over the container 11, and a gasket 15 is located between the lid 14 and the container 11. A seal 16 is provided on the bottom wall 13, and a seal 17 is provided on the side wall 12. A seal 18 is provided on the lid 14. A seal 19 is provided on the side wall 12. A seal 20 is provided on the bottom wall 13, and a seal 20A is provided on the side wall 12. A seal 21 is provided on the lid 14. A seal 22 is provided on the side wall 12. A seal 23 is provided on the bottom wall 13. A seal 24 is provided on the side wall 12. A seal 25 is provided on the lid 14. A seal 26 is provided on the side wall 12. A seal 27 is provided on the bottom wall 13. A seal 28 is provided on the side wall 12. A seal 29 is provided on the lid 14. A seal 30 is provided on the side wall 12.




**Fig. 3A**




*Fig. 4*




FIG. 4A is a schematic diagram of a vertical assembly 40. The assembly includes a vertical member 41 with a top cap 51. A wavy line 50 is positioned to the right of member 41. A horizontal member 42 is at the top. A vertical member 49 is on the left. A horizontal member 49A is connected to member 41. A vertical member 44 is at the bottom. A horizontal member 46, 46A is at the bottom. A vertical member 54 is at the bottom. A horizontal member 43 is at the bottom. A vertical member 45 is at the bottom. A horizontal member 48 is at the bottom. A vertical member 52, 52A is at the bottom. A horizontal member 53 is at the bottom.



**Fig. 4A**




**Fig. 6**



**Fig. 5**





**Fig. 7**

FIG. 7A is a cross-sectional view of a container assembly 60, showing a container 61 with a lid 62. The container 61 is shown in a partially open position, with the lid 62 being lifted. The lid 62 is shown with a hinge 63 and a latch 64. The container 61 is shown with a bottom 65 and a side wall 66. The lid 62 is shown with a top surface 67 and a bottom surface 68. The container 61 is shown with a neck 69 and a base 70. The lid 62 is shown with a handle 71 and a latch 72. The container 61 is shown with a neck 73 and a base 74. The lid 62 is shown with a handle 75 and a latch 76. The container 61 is shown with a neck 77 and a base 78. The lid 62 is shown with a handle 79 and a latch 80. The container 61 is shown with a neck 81 and a base 82. The lid 62 is shown with a handle 83 and a latch 84. The container 61 is shown with a neck 85 and a base 86. The lid 62 is shown with a handle 87 and a latch 88. The container 61 is shown with a neck 89 and a base 90. The lid 62 is shown with a handle 91 and a latch 92. The container 61 is shown with a neck 93 and a base 94. The lid 62 is shown with a handle 95 and a latch 96. The container 61 is shown with a neck 97 and a base 98. The lid 62 is shown with a handle 99 and a latch 100.




Fig. 7A






Fig. 7B


FIG. 8 is a perspective view of the device of FIG. 7, showing the device in a closed position. The device is shown in a perspective view, and the components are labeled with the same reference numerals as in FIG. 7. The device is shown in a closed position, and the components are labeled with the same reference numerals as in FIG. 7.



**Fig. 8**



**Fig. 8B**



**Fig. 8A**




Fig. 9




Fig. 10




Fig. 11